



February 18<sup>th</sup>, 2008

Ms. Grissel V. Diaz-Cotto  
Emergency and Remedial Response Division  
United States Environmental Protection Agency  
Region II  
290 Broadway, 19<sup>th</sup> Floor  
New York, NY 10007-1866

Re: January 2008 Discharge Monitoring Report  
Leachate Treatment Plant, Operable Unit 1  
Kin-Buc Landfill Superfund Site

Dear Ms. Diaz-Cotto:

The January 2008 Discharge Monitoring Report (DMR) for the Leachate Treatment Plant of Operable Unit 1, Kin-Buc Landfill Superfund Site, prepared by Veolia Water North America is attached.

Should you have any questions concerning the DMR or other site items, please contact me at your earliest convenience at the Kin-Buc site.

Very truly yours,  
Veolia Water North America  
On behalf of SCA Services, Inc.,

Glenn Grieb  
Plant Manager

Enclosure

cc: Martha Goodwin – NJDEP  
Stephen Joyce – SCA Holding  
Carl Januszkiewicz – Waste Management  
Richard Hoyt – Veolia Water North America

Veolia Water North America  
Kinbuc Landfill  
383 Meadow Road, Edison, NJ 08817  
Tel. No. (732) 572-4743 / (732) 572-3871  
Fax. No. (732) 572-6294  
E-mail: [glenn.grieb@veoliawaterna.com](mailto:glenn.grieb@veoliawaterna.com)

NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION  
DIVISION OF WATER QUALITY

MONITORING REPORT - TRANSMITTAL SHEET

NJPDES NO.  

--	--	--	--	--	--

  
 \*NJ Permit Equivalent

REPORTING PERIOD  

M	o.	Y	r.
0	1	0	8

M	o.	Y	r.
0	1	0	8

<u>PERMITTEE:</u>	Name:	SCA Services, Inc.
	Address:	383 Meadow Road
		Edison, New Jersey 08817
<u>FACILITY:</u>	Name:	Kin-Buc Landfill
	Address:	383 Meadow Road
		Edison, New Jersey 08817
	Telephone:	732-572-4743

FORMS ATTACHED (Indicate Quantity of Each)

Operating Exceptions

SLUDGE REPORT-SANITARY

☐ T-VWX-007 ☐ T-VWX-008 ☐ T-VWX-009  
☐ EPA Form 3320-1

SLUDGE REPORT-INDUSTRIAL

☐ T-VWX-010A ☐ T-VWX-010B

WASTEWATER REPORTS

☐ T-VWX-011 ☐ T-VWX-012 ☐ T-VWX-013

GROUNDWATER REPORTS

☐ T-VWX-015(A,B) ☐ T-VWX-016 ☐ T-VWX-017  
☐ ELECTRONIC SUBMISSION

NPDES DISCHARGE MONITORING

☒ EPA Form 3320-1

DYE TESTING

YES NO

☐ ☒

TEMPORARY BYPASSING

☐ ☒

DISINFECTION INTERRUPTION

☐ ☒

MONITORING MALFUNCTIONS

☐ ☒

UNITS OF OPERATION

☐ ☒

OTHER

☒ ☐

(Detail any "Yes" on reverse side in appropriate space.)

NOTE: The "Hours Attended at Plant" on the reverse of this sheet must also be completed.

**AUTHENTICATION** I certify under penalty of law that this document and all attachments were prepared under the direction or supervision in accordance with a system designed to assure my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

LICENSED OPERATOR

Name (Printed)  
 Grade & Registry No.  
 Signature

Glenn Grieb  
 N-4 ; 0020212

*Glenn Grieb*

PRINCIPAL EXECUTIVE OFFICER OR  
 DULY AUTHORIZED REPRESENTATIVE

Name (Printed)  
 Title (Printed)  
 Signature

Glenn Grieb  
 Plant Operations Manager

*Glenn Grieb*

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

February 19, 2008

Veolia Water North America  
Kin-Buc Landfill Treatment Pt  
383 E. Meadow Rd  
Edison, NJ 08817

Mr. Glen Grieb:

This letter is intended to explain why Veolia Water reported their second TPH result for January 2008 in week four rather than the second week of the month, as is normally done. The TestAmerica field tech collected a sample on 1/08/08 for TPH 418.1 filling a 125ml amber glass container with HCl preservative. The TestAmerica project manager placed the sample on hold due to the new regulation change for TPH in New Jersey. The project manager called Veolia to determine what new TPH method would be required for Kin-Buc Landfill. Veolia informed TestAmerica to run the sample by method QAM-025. The sample was then taken off hold and the lab determined that there was insufficient sample volume to run the QAM-025. This method requires 1 Liter of sample.

Resampling was never scheduled by TestAmerica for the month of January. This oversight was caught by Veolia when they received their lab report for week two, TestAmerica job P514. In order for Veolia Water to report two TPH results for the month of January, extra sample volume from samples collected on 1/22/08 was run for TPH method QAM-025. This sample was extracted and analyzed out of holding time as stated in the non-conformance for TestAmerica job Q017.

TestAmerica is committed to excellence and we apologize for any inconvenience this may have caused you. We look forward to working with your company in the future.

Regards,



Matt Morse  
Manager – Project Management

Date Feburary 18, 2007

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no text or other markings on the paper.

MONTH 

0	1
---	---

 YEAR 

0	8
---	---

## Others

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
0	10	8	8	0	0	8	8	8	0	0	0	0	8	8	8
0	8	8	8	4	6	8	8	8	8	12	4	4	8	16	8
17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
8	0	0	0	8	10	0	9	8	0	4	10	10	9	8	
8	8	14	4	8	8	8	16	8	4	4	12	10	8	8	

PERMITTEE NAME/ADDRESS  
NAME  
ADDRESS

FACILITY  
LOCATION

SCA SERVICES, INC.  
383 MEADOW ROAD  
EDISON, NEW JERSEY 08817  
  
KIN-BUC LANDFILL  
EDISON, NEW JERSEY  
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM  
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001		
PERMIT NUMBER			DISCHARGE NUMBER		
MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
08	01	01	08	01	31

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW	SAMPLE MEASUREMENT	0.025733	0.030871	MGD	*****	*****	*****	***	***	continuous	flow meter
	PERMIT REQUIREMENT	REPORT	ONLY		*****	*****	*****			continuous	flow meter
pH	SAMPLE MEASUREMENT	*****	*****	***	6.90	*****	7.57	S.U.	0	1/week	grab
	PERMIT REQUIREMENT	*****	*****		6.0	*****	9.0			weekly	grab
PETROLEUM HYDROCARBONS	SAMPLE MEASUREMENT	*****	*****	***	*****	<0.615	<1.000	mg/l	0	2/month	grab
	PERMIT REQUIREMENT	*****	*****		*****	10	15			2/month	grab
COD	SAMPLE MEASUREMENT	34.34	48.25	kg/day	*****	347	501	mg/l	0	2/month	comp.
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT	ONLY			2/month	comp.
BOD	SAMPLE MEASUREMENT	*****	*****	***	*****	<5.00	<5.00	mg/l	0	2/month	comp.
	PERMIT REQUIREMENT	*****	*****		*****	56	220			2/month	comp.
TOTAL SUSPENDED SOLIDS	SAMPLE MEASUREMENT	0.23	0.36	kg/day	*****	2.68	3.80	mg/l	0	1/week	comp.
	PERMIT REQUIREMENT	REPORT	ONLY		*****	30	45(1)			weekly	comp.
DISSOLVED OXYGEN	SAMPLE MEASUREMENT	*****	*****	***	9.17	*****	*****	mg/l	0	1/week	grab
	PERMIT REQUIREMENT	*****	*****		4.0 MIN. Instantaneous	*****	*****			weekly	grab
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and I am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years)					TELEPHONE		DATE		
Glenn Grieb Project Manager							732 572-4743		08 02 18		
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					AREA CODE	NUMBER	YEAR MO DAY		

COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS

(REFERENCE ALL ATTACHMENTS HERE)

PERMITTEE NAME/ADDRESS

NAME  
ADDRESS

FACILITY  
LOCATION  
ATTN:

SCA SERVICES, INC.  
383 MEADOW ROAD  
EDISON, NEW JERSEY 08817

KIN-BUC LANDFILL  
EDISON, NEW JERSEY  
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM  
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001		
PERMIT NUMBER			DISCHARGE NUMBER		
MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
08	01	01	08	01	31

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
BENZENE	SAMPLE MEASUREMENT	<0.0000202	<0.0000212	kg/day	*****	<0.20	<0.20	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.009	0.02		*****	57	134				
CHLOROBENZENE	SAMPLE MEASUREMENT	<0.0000202	<0.0000212	kg/day	*****	<0.20	<0.20	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.022	0.058		*****	142	380				
1,1 DICHLOROETHENE	SAMPLE MEASUREMENT	<0.0000303	<0.0000318	kg/day	*****	<0.30	<0.30	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.003	0.009		*****	22	59				
ETHYLBENZENE	SAMPLE MEASUREMENT	<0.0000404	<0.0000424	kg/day	*****	<0.40	<0.40	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.022	0.058		*****	142	380				
TETRACHLOROETHYLENE	SAMPLE MEASUREMENT	<0.0000404	<0.0000424	kg/day	*****	<0.40	<0.40	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.006	0.025		*****	52	134				
TOLUENE	SAMPLE MEASUREMENT	<0.0000303	<0.0000318	kg/day	*****	<0.30	<0.30	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.004	0.011		*****	28	74				
1,2-TRANSDICHLOROETHYLENE	SAMPLE MEASUREMENT	<0.0000404	<0.0000424	kg/day	*****	<0.40	<0.40	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.004	0.009		*****	25	64				
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and I am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years)					TELEPHONE		DATE		
Glenn Grieb Project Manager							732 572-4743		08 02 18		
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					AREA CODE	NUMBER	YEAR	MO	DAY
COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS		(REFERENCE ALL ATTACHMENTS HERE)									

PERMITTEE NAME/ADDRESS  
NAME  
ADDRESS

FACILITY  
LOCATION  
ATTN:

SCA SERVICES, INC.  
383 MEADOW ROAD  
EDISON, NEW JERSEY 08817  
  
KIN-BUC LANDFILL  
EDISON, NEW JERSEY  
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM  
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001			
PERMIT NUMBER			DISCHARGE NUMBER			
MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
08	01	01		08	01	31

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
TRICHLOROETHYLENE	SAMPLE MEASUREMENT	<0.0000404	<0.0000424	kg/day	*****	<0.40	<0.40	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.004	0.010		*****	26	89				
VINYL CHLORIDE	SAMPLE MEASUREMENT	<0.0000212	<0.0000230	kg/day	*****	<0.20	<0.20	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	0.008	0.016		*****	52.8	108				
ACENAPHTHYLENE	SAMPLE MEASUREMENT	<0.0000101	<0.0000108	kg/day	*****	<0.1	<0.1	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43				
BENZO(A)ANTHRACENE	SAMPLE MEASUREMENT	<0.0000202	<0.0000212	kg/day	*****	<0.20	<0.20	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43				
BENZO(A)PYRENE	SAMPLE MEASUREMENT	<0.0000081	<0.0000085	kg/day	*****	<0.081	<0.081	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43				
BENZO(ghi)PERYLENE	SAMPLE MEASUREMENT	<0.0000092	<0.0000097	kg/day	*****	<0.091	<0.092	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43				
BENZO(k)FLUORANTHENE	SAMPLE MEASUREMENT	<0.0000091	<0.0000085	kg/day	*****	<0.090	<0.090	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43				
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and I am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years)				732		TELEPHONE		DATE	
Glenn Grieb Project Manager											
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT				732		572-4743		08 02 18	
COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS		(REFERENCE ALL ATTACHMENTS HERE)				AREA CODE		NUMBER		YEAR MO DAY	

<0.00017

PERMITTEE NAME/ADDRESS

NAME  
ADDRESS


FACILITY  
LOCATION  
ATTN:

SCA SERVICES, INC.  
383 MEADOW ROAD  
EDISON, NEW JERSEY 08817

KIN-BUC LANDFILL  
EDISON, NEW JERSEY  
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM  
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001			
PERMIT NUMBER			DISCHARGE NUMBER			
MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
08	01	01		08	01	31

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
IDENO(1,2,3cd) PYRENE	SAMPLE MEASUREMENT	<0.0000081	<0.0000085	kg/day	*****	<0.080	<0.080	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
PHENANTHRENE	SAMPLE MEASUREMENT	<0.0000086	<0.0000092	kg/day	*****	<0.082	<0.086	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	5.4(2)			weekly	grab
ALDRIN	SAMPLE MEASUREMENT	<0.0000010	<0.0000011	kg/day	*****	<0.010	<0.010	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.000133	0.00026		*****	0.0875	0.176			monthly	grab
4,4-DDT	SAMPLE MEASUREMENT	<0.0000011	<0.0000012	kg/day	*****	<0.010	<0.010	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	0.0000578	0.000146		*****	0.38	0.765			weekly	grab
PCB-1242	SAMPLE MEASUREMENT	<0.0000318	<0.0000345	kg/day	*****	<0.30	<0.30	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	0.5(2)			weekly	grab
PCB-1248	SAMPLE MEASUREMENT	<0.0000318	<0.0000345	kg/day	*****	<0.30	<0.30	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	0.5(2)			weekly	grab
PCB-1254	SAMPLE MEASUREMENT	<0.0000318	<0.0000345	kg/day	*****	<0.30	<0.30	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	0.5(2)			weekly	grab
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and I am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years)						TELEPHONE		DATE	
Glenn Grieb Project Manager								732 572-4743		08 02 18	
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT				AREA CODE		NUMBER		YEAR MO DAY	
COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS		(REFERENCE ALL ATTACHMENTS HERE)									



PERMITTEE NAME/ADDRESS  
NAME  
ADDRESS

SCA SERVICES, INC.  
383 MEADOW ROAD  
EDISON, NEW JERSEY 08817

FACILITY  
LOCATION  
ATTN:

KIN-BUC LANDFILL  
EDISON, NEW JERSEY  
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM  
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001			
PERMIT NUMBER			DISCHARGE NUMBER			
MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
08	01	01		08	01	31

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
PCB-1260	SAMPLE MEASUREMENT	<0.0000212	<0.0000230	kg/day	*****	<0.20	<0.20	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	0.5(2)			weekly	grab
ARSENIC	SAMPLE MEASUREMENT	0.0005580	0.0007248	kg/day	*****	5.20	6.30	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.013	0.026		*****	85.8	172			weekly	comp
CADMIUM	SAMPLE MEASUREMENT	0.0000424	0.0000480	kg/day	*****	0.4	0.4	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.0073	0.017		*****	48.2	112			weekly	comp
CHROMIUM	SAMPLE MEASUREMENT	0.0003206	0.0003812	kg/day	*****	3.00	3.80	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.930	0.080		*****	198	388			weekly	comp
COPPER	SAMPLE MEASUREMENT	0.0004408	0.0005638	kg/day	*****	4.1	6.4	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	50			weekly	comp
LEAD	SAMPLE MEASUREMENT	<0.0004104	<0.0009321	kg/day	*****	3.78	6.10	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	50			weekly	comp
NICKEL	SAMPLE MEASUREMENT	0.0042232	0.0043637	kg/day	*****	40.0	42.5	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.140	0.281		*****	850	850			weekly	comp
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and I am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years)					TELEPHONE		DATE		
Glenn Grieb Project Manager							732 572-4743		08 02 18		
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS

(REFERENCE ALL ATTACHMENTS HERE)

PERMITTEE NAME/ADDRESS

NAME  
ADDRESS

FACILITY  
LOCATION  
ATTN:

SCA SERVICES, INC.  
383 MEADOW ROAD  
EDISON, NEW JERSEY 08817

KIN-BUC LANDFILL  
EDISON, NEW JERSEY  
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM  
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001			
PERMIT NUMBER			DISCHARGE NUMBER			
MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
08	01	01		08	01	31

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS				
ZINC	SAMPLE MEASUREMENT	0.0010508	0.0018519	kg/day	*****	11.2	15.8	ug/L	0	1/week	comp	
	PERMIT REQUIREMENT	0.177	0.358		*****	170	2350					
CYANIDE	SAMPLE MEASUREMENT	<0.0010596	<0.0011507	kg/day	*****	<10.0	<10.0	ug/L	0	1/week	comp	
	PERMIT REQUIREMENT	0.002	0.004		*****	13.2	26.4					
ALUMINUM	SAMPLE MEASUREMENT	0.0079167	0.0132999	kg/day	*****	74.3	121.0	ug/L	0	1/week	comp	
	PERMIT REQUIREMENT	140	281		*****	9240	18500					
IRON	SAMPLE MEASUREMENT	0.0073196	0.0090444	kg/day	*****	68.9	80.2	ug/L	0	1/week	comp	
	PERMIT REQUIREMENT	89.6	182		*****	532000	1070000					
ACUTE TOXICITY, (LC50)	SAMPLE MEASUREMENT	QUARTELY	REPORT	***	n/a	*****	*****	%	0			
	PERMIT REQUIREMENT	*****	*****		50(3)	*****	*****					
Ammonia	SAMPLE MEASUREMENT	*****	*****	***	*****	0.558	1.1	mg/l	0	*****	*****	
	PERMIT REQUIREMENT	*****	*****		*****	4.8	19.8					
	SAMPLE MEASUREMENT	*****	*****	***	*****	*****	*****	***	***	*****	*****	
	PERMIT REQUIREMENT	*****	*****		*****	*****	*****					
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years)				SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TELEPHONE		DATE		
Glenn Grieb Project Manager								732	572-4743	08	02	18
TYPED OR PRINTED						AREA CODE		NUMBER		YEAR	MO	DAY

COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS

(REFERENCE ALL ATTACHMENTS HERE)